

TOP 100 RPS SCORES WITH DOCUMENTED GROUNDWATER CONTAMINATION 2/21/02

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
805.08	NJD002387488	TRENTON FIBRE DRUM COMPANY INC	1545 NEW YORK AVE LAWRENCE TOWNSHIP	MERCER MPARRA	11/20/2000

KEYWORD
 767.31 NJD980530455 DOVER COAL GAS (JCP&L & NJNG) CARROLL & E BLACKWELL STS PSMITH 11/6/2000
 ROCKAWAY TOWNSHIP MORRIS

KEYWORD REGIONAL PRP
 Site identified as a potential source of contamination of Dover Well 4. *Soil Benzene 190 Arts = 46.3*
GW n 2000 ppm, Arts = 126

KEYWORD COST RECOVERY
 Over \$1,000,000 in public funds have been expended in relation to Dover Well 4 case.

KEYWORD ACO
 ACO executed between JCP&L (Now GPU Energy), New Jersey Natural Gas Company and the NJDEP on October 15, 1991

766.91 NJD099293326 RHONE POULENC CHEMICAL COMPAN 297 TO 298 JERSEY AVE JKOSHER 12/22/2000
 NEW BRUNSWICK CITY MIDDLESEX

KEYWORD ACO
 executed to allow for transfer of 5 acres of 20 total to new RP. Other 15 acres are continuing operations and ownership by Rhodia/Rhone Poulenc.

KEYWORD SITE-SPECIFIC CRITERIA
 in the 9/00 IRAP, rhodia proposed the development of 7 site specific compound cleanup criteria. These compounds are camphor, camphene, coumarin, 3-methyl coumarin, benzene-acetaldehyde, phenyl acetate, salicylaldehyde. Toxicity factors for these compounds have been approved by ETRA and the RP is currently developing these cleanup criteria for all media impacted. Currently no criteria exist in the State or EPA databases.

Score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD SEEP-DOC

a documented and observed free product and contaminated ground water seep exists along the western bank of the Mile Run Brook in the Building 11 Area. This seep was reported in the ISRA PA/SI submitted 5/12/86. The seep of material is believed to have been ongoing for a number of years prior to that, as early as 1940s. The seep consists primarily of site specific compounds (ie camphore, etc) but includes pesticide, VOC, BN, AE, PPM, PHCs and PCBs at varying degrees of severity. Currently interim remedial actions have been approved to control this contamination.

KEYWORD PIPE-DOC

prior to the mid 1940s, when the POTW ran to site, all site sanitary and industrial process waste water streams discharged directly (untreated) to Mile Run Brook. All historic discharges have either been redirected to the sanitary sewer or terminated except one storm water discharge pipe regulated under a NJPDES permit. Many of the former pipe chases and exit points along the brook are still visible today. Contamination has been documented immediately under the NJPDES discharge pipe and liquid other than just water was observed dripping from the pipe at a recent inspection. However, subsequent to that the effluent was sampled and found to be free of contaminants. The investigation is ongoing.

KEYWORD HISTORIC FILL

historical fill material contaminated by PPMetals and CapAH exist over much of the site within 100 feet of the Mile Run Brook. Fill material was believed to be brought in to initially level this portion of New Brunswick (including site) for development in the early 1920s by unknowns. Current ISRA RP took ownership of site in 1940s after numerous previous tenants. Sampling by RP has confirmed fill material. Deed notice, cap and CEA will be required for onsite fill material prior to site closure.

753.37 NJL000010066 BORDENTOWN COAL GAS (PSE&G)

WALNUT & WILLOW STS

MTURNER

11/2/2000

C1

Soil $\frac{BAXN}{175.2}$ $\frac{AT5}{44}$

BORDENTOWN CITY

BURLINGTON

DID NOT SEARCH FOR OTHER OR

SEEP

KEYWORD

GW 5 G2

SW 18 4.6

749.95 NJL000059659 COOPER OIL COMPANY

4 POST LN

WINGERSO

12/15/2000

RIVERDALE BOROUGH

MORRIS

KEYWORD IEC

Continuous DISCHARGE TO Regional Rdr. -

IEC

744.38 NJD011064201 DEULL FUEL COMPANY

300 GEORGIA AVEN N

MKENNEY

1/4/2001

ATLANTIC CITY

ATLANTIC

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD

734.94 NJD002185973 GAF CORPORATION S WOOD AVE ACHARLES 11/21/2000
 LINDEN CITY UNION
 KEYWORD ACO

732.93 NJD980530471 LONG BRANCH COAL GAS (NJNG & JCP 100 BROOK ST PSMITH 11/8/2000
 Soil *Benzo* *As:* LONG BRANCH CITY MONMOUTH
 65 120
 KEYWORD ACO *GW* *580* 14.7
50 *50* 14

726.71 NJD002162824 FRESCO SILVER COMPANY INCORPOR 357 BOYDEN AVE CHECK 6/28/2001
 MAPLEWOOD TOWNSHIP ESSEX
 KEYWORD MOA

725.64 NJD014725410 MARVIN JONAS INCORPORATED BARK BRIDGE RD PSMITH 11/29/2000
 DEPTFORD TOWNSHIP GLOUCESTER
 KEYWORD MOA

724.61 NJD980530463 ATLANTIC HIGHLANDS COAL GAS (NJN W LINCOLN AVE PSMITH 10/31/2000
 ATLANTIC HIGHLANDS BOROUGH MONMOUTH
 KEYWORD ACO

ACO executed between New Jersey Natural Gas Company and NJDEP on October 10, 1989

Thursday, February 21, 2002

Soil *Benzo* *As* *Benzo-As* *Score for coal tar FP*
2800 *937* *750*

GW *1200* *284* *440*

50

*FW-1
streams
impacted*

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
706.28	NJL000035204	KENVIL GROUND WATER CONTAMINTI	VARIOUS LOCATIONS ROXBURY TOWNSHIP	BBBERTSK	12/27/2000

KEYWORD COST RECOVERY

The NJDEP has expended more than \$2,000,000 in public funds to address contamination of private potable wells in the area. Initially over \$500,000.00 was expended to install POET systems on affected wells. Over \$1.4 million was subsequently expended to install water lines throughout the impact area.

KEYWORD OFF-SITE

KEYWORD IEC

This case was an IEC project that impacted approximately 47 wells. About 250 properties were included in the project area. The DEP funded the extension of water lines in the area at a cost of about \$3 million.

704.82	NJD981084734	PATERSON COAL GAS (PSE&G)	200 5TH E & LEON STS	MTURNER	11/22/2000
		<i>Soil</i>	<i>Benzene</i>	<i>ATC</i>	<i>93</i>
		<i>Soil</i>	<i>Benz - Free</i>	<i>2570</i>	
		<i>GW</i>	<i>69470</i>	<i>15</i>	

scad for FP Benzene in Gas.

703.43	NJD011283637	GLASSBORO COAL GAS (SIG)	ZANE & UNION STS	PSMITH	11/22/2000
		<i>Soil</i>	<i>Benzene</i>	<i>13</i>	
		<i>Soil</i>	<i>Benz</i>	<i>9900</i>	

ACO executed between South Jersey Gas Company and NJDEP on February 20, 1990.

702.06	NJP000883678	CLIFTON CITY DEPARTMENT OF PUBLI	307 EAST 7TH ST	JRUHL	11/29/2000
		CLIFTON CITY	PASSAIC		

SCORE	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD	IEC				
Field Directive issued requiring RP to remove #2 heating oil free product from storm drains and to install booms and pads in the Wabash Brook culvert. RP also required to maintain boom and pads at the outfall of the Wabash Brook into the Passaic River. RP required to pump out the heating oil from the heating oil UST.					

KEYWORD	CEA				
Indefinite CEA established in conjunction with issuance of December 21, 1999 RAW Addendum Approval for Soil. The CEA applies to Benzene, MTBE, TBA, 1,1-Dichloroethene, Chloroform, Carbon Tetrachloride, Trichloroethene, Tetrachloroethene, and Lead. Map in file.					

KEYWORD	IEC				
Required mitigation of petroleum vapors and mitigation/removal of free product petroleum in storm sewers, on-site culvert/Wabash Brook, and Passaic River.					

700.62	NJD986571800	CITGO SERVICE STATION RIVERDALE	I HAMBURG TPKE RIVERDALE BOROUGH	MORRIS	WINGERSO	11/21/2000
--------	--------------	---------------------------------	-------------------------------------	--------	----------	------------

KEYWORD

698.61	NJL600084156	NJ TURNPIKE AUTHORITY SERVICE AR	NJ TPKE MM 116.0 RUTHERFORD BOROUGH	BERGEN	DPLUMMER	12/7/2000
--------	--------------	----------------------------------	--	--------	----------	-----------

KEYWORD

697.59	NJD986605137	MOBIL SERVICE STATION WYCKOFF T	296 SICOMAC & CEDAR HILL AVES WYCKOFF TOWNSHIP	BERGEN	DCRAMER	12/11/2000
--------	--------------	---------------------------------	---	--------	---------	------------

KEYWORD

694.77	NJD981083074	HAMMONTON COAL GAS (S/G)	11 LINCOLN ST & 12TH AVE HAMMONTON TOWN	ATLANTIC	PSMITH	11/29/2000
--------	--------------	--------------------------	--	----------	--------	------------

SCORE	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD ACO

ACO executed between South Jersey Gas Company and NJDEP on February 9, 1993.

692.03 NJD986580843 TEXACO SERVICE STATION MOUNT OLI 35 RTE 46 & OLD BUDD LAKE RD DMIELE 12/19/2000

MOUNT OLIVE TOWNSHIP MORRIS

KEYWORD NFA-A

Former 550 gallon waste oil tank was granted a No Further Action on May 19, 1995.

691.33 NJD982269656 FERRARI OIL INCORPORATED 1020 RTE 30 W (WHITE HORSE PIKE) JMCKENZI 3/7/2001

GALLOWAY TOWNSHIP ATLANTIC

KEYWORD

689.92 NJD001288711 INMONT CORPORATION 200 GREGG ST JLUDOVIC 1/30/2000

LODI BOROUGH BERGEN

KEYWORD OFF-SITE

The NJDOT Maintenance Yard located hydraulically upgradient of the Inmont - Lodi site contained a leaking Gasoline UST (the tank has been excavated). MTBE GW contamination is believed to have migrated from the leaking tank via GW onto the former Inmont - Lodi site.

KEYWORD OFF-SITE

Radiological GW contamination from the Maywood Facility has been detected in GW samples from site MWS.

KEYWORD ACO

Inmont Corp. -- Lodi Administrative Consent Order entered July 25, 1985.

689.22 NJD000780403 CITGO SERVICE STATION LITTLE SILVE 697 BRANCH AVE YJUANG 11/24/1998

LITTLE SILVER BOROUGH MONMOUTH

KEYWORD

Score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
686.12	NJD081982902	CHEVRON USA INCORPORATED ASPHA	1200 STATE ST PERTH AMBOY CITY	MSPERA	12/5/2000
	KEYWORD	MOA			
<p>MOA applies to two areas of the site which are being investigated at an expedited basis in preparation for a sale of the property. The MOA applies to the areas known as Amboy Field and the West Yard. The entire site is under an EPA HSWA Permit as well.</p>					
671.52	NJP000901611	TORESCO ENTERPRISES	RTE 22 E & WATCHUNG AVE NORTH PLAINFIELD BOROUGH	LMITCHEL	1/3/2001
	KEYWORD	MOA			
<p>Former UST case entered into MOA 2/16/98</p>					
666.93	NJ0570024018	MCGUIRE AIR FORCE BASE	WRIGHTSTOWN COOKSTOWN RD NEW HANOVER TOWNSHIP	GZERVAS	12/21/2000
	KEYWORD				
659.58	NJD001317064	MERCK & COMPANY INCORPORATED	126 EAST LINCOLN AVE RAHWAY CITY	HS SHAH	11/9/2000
	KEYWORD	ACO			
657.95	NJD002170405	RESISTOFLEX INCORPORATED	1 WOODLAND RD ROSELAND BOROUGH	JLUDOVIC	11/8/2000
	KEYWORD	ACO			
<p>Administrative Consent Order entered 2/13/85.</p>					
653.08	NJD981083041	EGG HARBOR CITY COAL GAS (SJG)	ATLANTIC & BUFFALO AVES EGG HARBOR CITY	PSMITH	10/31/2000
	KEYWORD				

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD ACO

ACO executed between South Jersey Gas Company and NJDEP on January 31, 1990.

652.1 NJD986610095 MOBIL SERVICE STATION CAMDEN CIT 1836 ADMIRAL WILSON BLVD DMEILE 11/30/2000
CAMDEN CITY CAMDEN

KEYWORD SEEP-POT

Potential Contaminant seep into surface water is suspected as surface water sampling of the surface water body adjacent to the site (Cooper River) has indicated benzene, MTBE and TBA contaminants. There is most likely a interconnection between ground water (shallow at times) and the surface water body. There may even be a proportion of tidal influence as well. Surface water sampling has continued and contaminant concentrations have improved. Site will be demolished and a park will be built at this site, thereby possibly eliminating the surface water impacts in the near future.

652.09 NJD982529885 DURA BOND CORPORATION 1875 MCCARTER HWY JKOSHER 12/12/2000
NEWARK CITY ESSEX

KEYWORD OFF-SITE

ChIVOC contamination associated with sewer line breach upgradient of site. Source is suspected to be from previous operations including current sites former operation and adjacent commercial sites which also use chlVOC and discharged to the breached sewer line.

KEYWORD ACO

650.64 NJD981083066 HACKENSACK COAL GAS (PSE&G) 214 HUDSON ST MTURNER 11/2/2000

Soil ~~PAVING~~ RP AT
72 TP 520 36
KEYWORD GWS /SDO 50

650.02 NJD011635414 EXXON COMPANY USA 3RD ST & BILLINGSPO RT RD JKOSHER 12/14/2000

KEYWORD

PAULSBORO BOROUGH GLOUCESTER

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

649.61	NJD037138211	LUCAS AEROSPACE INC PRODUCTS SU	30 VAN NOSTRAND AVE ENGLEWOOD CITY	JSTEFANO	11/21/2000
--------	--------------	---------------------------------	---------------------------------------	----------	------------

KEYWORD CEA

CEA issued for individual chlorinated compounds and metals following partial RAW Approval.

644.4	NJD986584134	HEXCEL CORP INDUSTRIAL CHEMICAL	205 MAIN ST LODI BOROUGH	JNOWAK	12/13/2000
-------	--------------	---------------------------------	-----------------------------	--------	------------

KEYWORD ACO

ACO entered 3/26/86

KEYWORD BROWNFIELDS

Site is located in the area of the proposed redevelopment of downtown Lodi.

643.36	NJD982187411	OCEAN CITY COAL GAS (JCP&L & NJNG)	WEST AVE & 11TH ST OCEAN CITY	PSMITH	11/22/2000
--------	--------------	------------------------------------	----------------------------------	--------	------------

KEYWORD
Soil
353
142
11000
45
MOA
Soil Gas
Soil

MOA executed between JCP&L (now GPU Energy), New Jersey Natural Gas Company and the NJDEP on June 30, 1992.

642.7	NJD002163178	TRANSISTOR DEVICES INCORPORATED	274 SOUTH SALEM ST RANDOLPH TOWNSHIP	WKOKLOA	12/28/2000
-------	--------------	---------------------------------	---	---------	------------

KEYWORD MOA

642.01	NJD002160216	ROCKLAND CHEMICAL COMPANY	686 PASSAIC AVE WEST CALDWELL TOWNSHIP	JDENOBLE	12/15/2000
--------	--------------	---------------------------	---	----------	------------

WEST CALDWELL TOWNSHIP ESSEX

SCORE	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD ACO

This case has gone on so long because of two factors. The first consultant for this case broke the RI into many small phases requiring many iterations. The second consultant, while improving from a comprehensive investigational approach, has also required many iterations before document approval. A pool of free product remains under the building and there is a real potential for petroleum hydrocarbon/ xylenes inhalation hazard.

638.5 NJSFN0204214 HAMERSLEY MANUFACTURING COMP MAIN AVE (REAR LOT) AFINDLEY 10/16/2001

WALLINGTON BOROUGH BERGEN

KEYWORD IEC

SITE IS SOURCE FOR MUNICIPAL WELLFIELD CONTAMINATION

638.22 NJL600087209 PROGRESS PETROLEUM 168 SOUTH MAIN ST JPRENDER 11/14/2000

PHILLIPSBURG TOWN WARREN

KEYWORD

637.52 NJL600029649 AVIS NORTH PLAINFIELD 548 RTE 22 PBAUER 12/20/2000

NORTH PLAINFIELD BOROUGH SOMERSET

KEYWORD

634.7 NJL000068361 ROUTE 202 CORRIDOR GRD WTR CONT RTE 202 BBERETSK 12/28/2000

BRANCHBURG TOWNSHIP SOMERSET

KEYWORD COST RECOVERY

The NJDEP expended over \$150,000 to install an alternative water source and POET systems to impacted residents in case area. Over \$600,000 of additional public funds were expended to install water lines throughout the impact area.

KEYWORD IEC

SCORE	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD OFF-SITE

Numerous suspected sources of the ground water contamination in the Route 202 Branchburg area have been identified and are currently being investigated.

634.43 NJD986593317 SHELL SERVICE STATION GIBBSBORO RTE 561 & GIBBSBORO RD GIBBSBORO BOROUGH CAMDEN MCAMPION 11/28/2000

KEYWORD

633.91 NJD000692327 PENICK CORPORATION 12 TAYLORTOWN RD MONTVILLE TOWNSHIP MORRIS JDOYON 11/28/2000

KEYWORD

631.46 NJD002145860 OXY USA INCORPORATED STOUTS LN SOUTH BRUNSWICK TOWNSHIP MIDDLESEX JDENOBLE 12/29/2000

KEYWORD ACO

The site was scored on 12/22/00. Remedial action will be proposed on the stream bed and the site is proposed to be capped. Hot spots of PCBs will be excavated first.

630.25 NJL000069781 AUGUSTA GARAGE RTE 206 & ROSS CORNER SUSSEX RD FRANKFORD TOWNSHIP SUSSEX CPFLEIDE 9/5/2001

KEYWORD

630.15 NJL000010074 MORRISTOWN COAL GAS (PSE&G) MARTIN LUTHER KING JR & COAL AVES MORRISTOWN TOWN MORRIS MTURNER 11/22/2000

KEYWORD

FW-1
Impacted
gw = *Bugle* *Pos*
15DD *23.2*

Thursday, February 21, 2002

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
629.22	NJL600038681	MERCER CONTRACTING COMPANY	53 FLOCK RD HAMILTON TOWNSHIP	RPOSEY	7/19/2001
	KEYWORD				
628.82	NJL000075135	MAGNOLIA AVENUE GROUND WATER	VARIOUS LOCATIONS WALL TOWNSHIP	CPFLEIDE	10/11/2001
	KEYWORD				
628.82	NJSFN0204241	WHITE SWAN LAUNDRY & CLEANER	1322 SEA GIRT AVE WALL TOWNSHIP	CPFLEIDE	10/3/2001
	KEYWORD				
626.78	NJL600119614	MEDFORD LAKES AUTO REPAIR	STOKES RD & LENAPE TRL MEDFORD LAKES BOROUGH	GHAHN	1/1/2001
	KEYWORD				
624.18	NJD980654099	IMPERIAL OIL COMPANY INCORPORAT	ORCHARD RD MARLBORO TOWNSHIP	JMAHER	12/5/2000
	KEYWORD				
622.59	NJL600236145	MOBIL SERVICE STATION FRANKLIN B	RTE 23 & FRANKLIN AVE FRANKLIN BOROUGH	WTNGERSO	12/19/2000
	KEYWORD				

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD

622.58 NJD000705285 SUNOCO SERVICE STATION MONTVILL 858 RTE 202 (MAIN ST) MONTVILLE TOWNSHIP MORRIS JSTEFANO 12/5/2000

KEYWORD IEC

IEC conditions based on impacted on-site potable well.

620.87 NJD986598795 EXXON SERVICE STATION MILLBURN T 132 MILLBURN AVE MILLBURN TOWNSHIP ESSEX DPLUMMER 12/13/2000

KEYWORD

619.47 NJD986613032 SUNOCO SERVICE STATION MARGATE 7701 VENTNOR & MARGATE AVE MARGATE CITY ATLANTIC JRUHL 12/12/2000

KEYWORD

619.14 NJD986584803 SHELL SERVICE STATION EATONTOWN RTE 35 & SOUTH ST EATONTOWN BOROUGH MONMOUTH KKATZ 11/29/2000

KEYWORD

618.81 NJD982273633 MOBIL SERVICE STATION HARDYSTON RTE 23 N HARDYSTON TOWNSHIP SUSSEX JMCKENZI 12/1/2000

KEYWORD

Score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
617.74	NJL800262826	ALEXANDER CLEANERS	137 BROADWAY HILLSDALE BOROUGH	CPFLEIDE	6/20/2000

KEYWORD

616.7	NJD986588283	SHELL SERVICE STATION ROXBURY TO	RTE 10 E ROXBURY TOWNSHIP	JMCKENZI	12/19/2000
-------	--------------	----------------------------------	------------------------------	----------	------------

KEYWORD COST RECOVERY

Over \$2,000,000 has been expended to install POETs and water lines in Kenvil GWIA.

KEYWORD REGIONAL PRP

Site was identified as a potential source of ground water contamination in Kenvil area.

616.7	NJD986607018	MOBIL SERVICE STATION WEST MILFO	1367 UNION VALLEY RD WEST MILFORD TOWNSHIP	JMCKENZI	12/1/2000
-------	--------------	----------------------------------	---	----------	-----------

KEYWORD

616.68	NJD981087315	SHELL SERVICE STATION BUTLER BOR	1284 RTE 23 N & BOONTON AVE BUTLER BOROUGH	JMCKENZI	12/14/2000
--------	--------------	----------------------------------	---	----------	------------

KEYWORD

616.31	NJD094966611	COMBE FILL SOUTH LANDELL	PARKER RD CHESTER TOWNSHIP	CWALLAC2	12/5/2000
--------	--------------	--------------------------	-------------------------------	----------	-----------

KEYWORD SEEP-DOC

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
	KEYWORD	OFF-SITE			
614.61	NJL800501793	LA SALA DRY CLEANERS	1308 3RD AVE SPRING LAKE BOROUGH	CPFLEIDE	8/15/2000
	KEYWORD				
614.26	NJL600079446	MOBIL SERVICE STATION HAZLET TOW	RTE 36 & FLORENCE AVE HAZLET TOWNSHIP	JMORROW	12/25/2000
	KEYWORD				
613.46	NJD059014589	AT&T TECHNOLOGIES INCORPORATED	RTE 569 (CARTER RD) HOPEWELL TOWNSHIP	SPEARCE	11/16/2000
	KEYWORD	ACO			
	KEYWORD	OFF-SITE			
GW: TCE leaving and impacting houses down strike					
613.22	NJL600006266	AMOCO SERVICE STATION OCEAN TO	1120 RTE 35 OCEAN TOWNSHIP	EWALLACE	12/6/2000
	KEYWORD				
613.17	NJD002994507	SUMITOMO MACHINERY CORP OF AME	7 MALCOLM RD TETERBORO BOROUGH	GIACOB	12/26/2000
			BERGEN		

SCORE	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD OFF-SITE

Groundwater contamination is off-site. Also contamination in the drainage ditch (surface wter).

KEYWORD ISRA RA

Remediation Agreement executed on 9/11/98. Seller Sumitomo, Buyer- AlliedSignal Inc.

KEYWORD COST RECOVERY

Over \$2,000,000 in public funds have been expended in relation to Berry's Creek case.

KEYWORD REGIONAL PRP

Site was identified as a potential source of contamination in the Berry's Creek Basin.

KEYWORD RADIONUCLIDES

Site has radioactive material contamination which are not included in the maintenance tables.

612.87 NJD982741100 MOBIL SERVICE STATION PEQUANNOCK 41 NEWARK POMPTON TPKE JMCKENZI 11/29/2000

PEQUANNOCK TOWNSHIP MORRIS

KEYWORD

611.71 HOWMET CORPORATION 9 ROY STREET TCONTI 12/29/2000

ROCKAWAY BOROUGH MORRIS

KEYWORD ACO

609.61 NJD980417976 SHERWIN WILLIAMS COMPANY UNITED STATES AVE JDOYON 11/28/2000

GIBBSBORO BOROUGH CAMDEN

KEYWORD

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
608.26	NJ3210020704	PICATTINNY ARSENAL	RTE 15 ROCKAWAY TOWNSHIP	GZALASKU	11/21/2000
	KEYWORD				
607.67	NJL600198626	MOBIL SERVICE STATION EAST HANOV	143 RTE 10 HANOVER TOWNSHIP	DGROTH	10/22/1997
	KEYWORD				
607.34	NJD986604379	MOBIL SERVICE STATION TENAFLY BO	343 TENAFLY RD TENAFLY BOROUGH	JMORROW	11/21/2000
	KEYWORD				
607.24	NJD981082886	BRUNSWICK AVENUE COAL GAS (PSE&	NEW YORK AVE & SYLVESTER ST TRENTON CITY	PSMITH	11/22/2000
	KEYWORD	MOA ^{GLD} GLD ₆₁₀₀ ^{96.2}			
		MOA executed between Public Service Electric and Gas Company and NJDEP on March 24, 1993.			
606.59	NJD986630747	SOUTH BRUNSWICK ASPHALT COMPA	GLADNEY AVE BERKELEY TOWNSHIP	CPLEIDE	5/17/1999
	KEYWORD				
606.27	NJD982186066	MERIT OIL CORPORATION	RTE 35 & LAURENCE PWY OLD BRIDGE TOWNSHIP	JMCKENZI	11/28/2000
	KEYWORD				

Score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD

605.95 NJL600114763 BURDGES GARAGE 597 BRANCH AVE CPFLIDE 3/15/2001

LITTLE SILVER BOROUGH MONMOUTH

KEYWORD

605.92 NJD986593309 SHELL SERVICE STATION GARFIELD CI MIDLAND AVE & RIVER DR JMORROW 12/12/2000

GARFIELD CITY BERGEN

KEYWORD CEA

CEA ID #1323 - JULY 6, 2000 BENZENE, ETHYLBENZENE, XYLENES, MTBE, TBA

604.21 NJD000693556 SUNOCO SERVICE STATION ATLANTIC ALBANY & WINCHESTER AVES JSTEFANO 11/21/2000

ATLANTIC CITY ATLANTIC

KEYWORD

604.18 NJL600047021 MOBIL SERVICE STATION BROOKLAW BROOKLAWN CIR JMORROW 11/28/2000

BROOKLAWN BOROUGH CAMDEN

KEYWORD

604.08 NJL860000157 AMERICAN TRAINING SERVICES MALAGA NEW BROOKLYN RD CPRIEST 12/5/2000

MONROE TOWNSHIP GLOUCESTER

KEYWORD

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
602.46	NJC876003757	WASHINGTON SERVICES INCORPORAT	74 WASHINGTON ST MORRISTOWN TOWN	MCAMPION	12/1/2000
KEYWORD					
601.71	NJD078714433	BENDIX CORPORATION	RTE 46 TETERBORO BOROUGH	SMYERS	12/12/2000
KEYWORD ACO					
601.04	NJD000310961	ETHYL CORPORATION	880 MAIN ST SAYREVILLE BOROUGH	AINERRA	11/14/2000
KEYWORD BROWNFIELDS					
<p>This site was a former chemical manufacturing plant. Flame retardant material as well as other custom chemicals were manufactured here. Polybrominated biphenyls (PBBs) and polybrominated biphenyl oxides (PBBOs), the flame retardant chemical, were released at the facility and PBBOs remain in soil. Ground water, which is very shallow, was contaminated with chlorinated volatile organics, mainly from the outdoor storage areas. An impermeable wall was constructed to contain VOs in ground water, however, it was discovered later that other discharges were made downgradient of that wall; that contamination in soil and ground water is currently being delineated. Burt's Creek, downgradient and off-site, has been documented to be contaminated with the VOs from this site.</p>					
599.88	NJD001293216	PIFISTER CHEMICAL COMPANY INCORP	RTE 46 E & LINDEN AVE RIDGEFIELD BOROUGH	TCONTI	11/28/2000
KEYWORD NFA-A					
<p>NFA issued April 1999 for wastewater lagoon w/ O&M including DNAPL recovery, water level measurements, and groundwater monitoring. Remedy consists of cap and vertical barrier wall. NFA specifically excludes groundwater and the manufacturing or plant area.</p>					
KEYWORD ACO					

SCORE	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
599.68	NJD986593408	SHELL SERVICE STATION HACKETTSTO	RTE 517 & ALLAMUCHY RD HACKETTSTOWN TOWN	I STEFANO	12/12/2000
	KEYWORD	CEA			
		CEA approved for BTEX, MTBE and TBA contamination related to historical UST system discharges. Map in file.			
599.33	NJL600145155	ALLENTOWN WILLIAM PENN INCORPO	148 S MAIN ST ALLENTOWN BOROUGH	RWRIGHT	12/6/2000
	KEYWORD				
599.31	NJD002339406	SYBRON CHEMICAL INCORPORATED	BIRMINGHAM RD PEMBERTON TOWNSHIP	SMYERS	12/19/2000
	KEYWORD	CEA			
		CEA is for 1,2-dichloropropane, 1,2-dichloroethane, benzene, chlorobenzene and TCE.			
	KEYWORD	ACO			
598.63	NJD000693978	SUNOCO SERVICE STATION EVESHAM	930 RTE 70 & MARLTON PK EVESHAM TOWNSHIP	BMEYER	12/11/2000
	KEYWORD				
596.92	NJD982276610	MOBIL SERVICE STATION SADDLE RIV	76 EAST ALLENDALE RD SADDLE RIVER BOROUGH	DPLUMMER	12/7/2000
	KEYWORD				

Score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
596.9	NIL600192454	MOBIL SERVICE STATION WEST ORAN	385 MAIN ST WEST ORANGE TOWN	DMIELE	12/12/2000
	KEYWORD	SEEP-DOC			
		Previous discharge to surface water from the catastrophic release of gasoline product which occurred under case # 86-03-25-1530. The active remediation system was terminated in 1991 and this case number was given an No Further Action on November 29 1991. This was for the discharge to the surface water body only.			
596.58	NIL600209902	SUNOCO SERVICE STATION WASHINGT	RTE 24 & MOUNTAIN VIEW AVE WASHINGTON TOWNSHIP	JMORROW	12/19/2000
	KEYWORD				
596.56	NJD986598068	EXXON SERVICE STATION SPRINGFIEL	4 CALDWELL PL SPRINGFIELD TOWNSHIP	DPLUMMER	12/27/2000
	KEYWORD				
596.55	NJ0000480244	SUNOCO SERVICE STATION BRANCHB	954 RTE 202 S BRANCHBURG TOWNSHIP	SSANTORA	11/29/2000
	KEYWORD	COST RECOVERY			
		Over \$750,000 of public funds have been expended to install POETs and water lines in Branchburg Route 202 GWIA.			
	KEYWORD	REGIONAL PRP			
		Site was identified as a potential source of the ground water contamination in the Branchburg Route 202 area.			
594.82	NIL600072078	AMOCO SERVICE STATION DENNIS TO	MAIN ST & CORSUN TARVERN RD DENNIS TOWNSHIP	DCRAMER	11/17/2000
			CAPE MAY		

score	CS	SITE_NAME	SITE_ADDR	EVALUATOR	DATE
-------	----	-----------	-----------	-----------	------

KEYWORD

594.81 NJD986614766 MOBIL SERVICE STATION MOUNT OLIV RTE 206 JMORROW 12/7/2000

MOUNT OLIVE TOWNSHIP MORRIS

KEYWORD

594.77 NJD002149839 HEMMINGER COMPANY 3 SMALLLEY AVE JLDOVIC 11/21/2000

MIDDLESEX BOROUGH MIDDLESEX

KEYWORD ACO

Administrative Consent Order entered 8/25/86.