



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

Getty Petroleum Marketing Inc
1500 Hempstead Tpke
East Meadow, NY 11554

January 29, 2007

Exxon Mobil Refining & Supply Co
100 Walnut St - Ste 202 - Room 19
Clark Twp, NJ 07066

Re: Site Remediation & Waste Management (SRWM) Information:
007223 - MOBIL #57290, CARDIFF CIR, Egg Harbor Twp, Atlantic
Childcare Center Information:
329892 - Love Ur Kids Day Care Center @ Cardiff Plaza, 6701 Black Horse Pk, Atlantic City, Atlantic County
5800172 - Love U'R Kids Child Care Center

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 6701 Black Horse Pk in Atlantic City, Atlantic County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Love Ur Kids Day Care Center @ Cardiff Plaza childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcory, Assistant Director
Division of Remediation Support

cc. Williamson Bianca, 6701 Blackhorse Pk, Atlantic City, NJ 08234
CaseManager: Blankenship, John



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

Wm Realty Llc
12 Lincoln Blvd
Emerson, NJ 07630

January 29, 2007

71 Union Ave Associates
100 E Linden Ave
Englewood Cliffs Boro, NJ 07631

Re: Site Remediation & Waste Management (SRWM) Information:
G000037573 - 71 E UNION AVE, 71 E UNION AVE, Rutherford Boro, Bergen
Childcare Center Information:
300919 - New Fountain Preschool, 38 Ames Ave, Rutherford Boro, Bergen County
5803007 - New Fountain Preschool, Inc.

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 38 Ames Ave in Rutherford Boro, Bergen County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the New Fountain Preschool childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. New Fountain Preschool Inc, 38 Ames Ave, Rutherford, NJ 07070
CaseManager: Kakas, Donald

7
JON S. CORZINE
Governor



State of New Jersey
DEPARTMENT OF ENVIRONMENTAL PROTECTION
Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

February 14, 2007

Teledyne Farris Engineering
401 Commercial Ave
Palisades Park, NJ 07650

Allegheny Technologies
15 Prestbury Square Bldg
Newark, DE 19713

TDY Industries Inc
Prestbury Square Bldg -3rd FLR - STE 1B
Newark, DE 19713

Re: Site Remediation & Waste Management (SRWM) Information:
018469 - TELEDYNE FARRIS ENGINEERING, 401 COMMERCIAL AVE, Palisades Park Boro, Bergen County
Childcare Center Information:
299343 - Angels Preschool & Academy, 342 Commercial Ave, Palisades Park Boro, Bergen County
5740421 - Angels Preschool & Academy-299343

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 342 Commercial Ave in Palisades Park Boro, Bergen County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Angels Preschool & Academy childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

the protection of our children. A response is needed within seven
this request can be obtained by contacting the writer by

NJ 07650



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

February 5, 2007

Louis J Sitar Jr.
151 Washington Ave
Carteret, NJ 07008

Re: Site Remediation & Waste Management (SRWM) Information:
010927 - SCHIRMER-NATIONAL CO, 100 PORTLAND AVE, Bergenfield Boro, Bergen County
Childcare Center Information:
299360 - Bergenfield Head Start Program, 100 Portland Ave, Bergenfield Boro, Bergen County
5815197 - Bergenfield Head Start

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 100 Portland Ave in Bergenfield Boro, Bergen County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Bergenfield Head Start Program childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Bergen Cnty Community Action Inc, 241 Moore St, Hackensack, NJ 07601
Case Manager: Nickerson, David



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION
Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

February 14, 2007

Exxon Mobil Refining & Supply Co
100 Walnut St - STE 202 - Room 19
Clark Twp, NJ 07066

Exxon Mobil Refining & Supply Co
1001 Billingsport Rd - Room 127
Paulsboro, NJ 08066

Re: Site Remediation & Waste Management (SRWM) Information:
008973 - EXXON 3-0197, 386 GRAND AVE, Palisades Park Boro, Bergen County
Childcare Center Information:
299343 - Angels Preschool & Academy, 342 Commercial Ave, Palisades Park Boro, Bergen County
5740421 - Angels Preschool & Academy-299343

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 342 Commercial Ave in Palisades Park Boro, Bergen County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Angels Preschool & Academy childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Dae Ki Bp Inc, 342 Commercial Ave, Palisades Park, NJ 07650
Case Manager: Wahab, Atiya



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

Getty Petroleum Marketing Inc
1500 Hempstead Tpke
East Meadow, NY 11554

January 29, 2007

Getty Petroleum Marketing Corp
302 Harper Dr - Ste 303
Moorestown Twp, NJ 08057

Re: Site Remediation & Waste Management (SRWM) Information:
007226 - MOBIL 57262, 9 BENNETT RD, Englewood City, Bergen
Childcare Center Information:
300660 - All Gods Children Nursery School, 138 W Palisades Ave, Englewood City, Bergen County
5802800 - All God's Children Nursery School

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 138 W Palisades Ave in Englewood City, Bergen County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the All Gods Children Nursery School childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Baker Diane, 138 W Palisade Ave, Englewood, NJ 07631-2204
CaseManager: Grzymski, Thomas



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

January 29, 2007

Merritts Service Station
Po Box 303 - 124 Mt Holly Rd
Attn: Troy Haines
Medford, NJ 08055

Re: Site Remediation & Waste Management (SRWM) Information:
003545 - MERRITTS SERVICE STATION, 124 MEDFORD - MT HOLLY RD, Medford Twp, Burlington
Childcare Center Information:
300799 - Just Children Child Care Center, 130 Meford Mt Holly Rd, Medford Twp, Burlington County
5797832 - Just Children

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 130 Meford Mt Holly Rd in Medford Twp, Burlington County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Just Children Child Care Center childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Strauss Naomi, 130 Medford Mt Holly Rd, Medford, NJ 08055

CaseManager: Nickerson, David



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

January 29, 2007

Getty Petroleum Marketing Inc
86 Doremus Ave
Newark, NJ 07105

Re: Site Remediation & Waste Management (SRWM) Information:
010386 - 56069 GETTY, 825 CLEMENTS BRIDGE RD E, Runnemede Boro, Camden
Childcare Center Information:
299935 - T&T Kids Korner, 835 Clements Bridge Rd, Runnemede Boro, Camden County
5807549 - t&t KIDS KORNER

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 835 Clements Bridge Rd in Runnemede Boro, Camden County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the T&T Kids Korner childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Serrano Antonio, 835 Clements Bridge Rd, Runnemede, NJ 08078



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

February 5, 2007

Mt Ephraim Dodge
630 Blackhorse Pk
Mount Ephraim, NJ 08059

Re: Site Remediation & Waste Management (SRWM) Information:
008343 - COLONIAL EXXON, 1701 MARLTON PK, Cherry Hill Twp, Camden County
Childcare Center Information:
332849 - Kid Academy Learning Center, 1210 Chambers Ave, Cherry Hill Twp, Camden County
5815229 - Kid Academy Learning Center

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 1210 Chambers Ave in Cherry Hill Twp, Camden County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Kid Academy Learning Center childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcory, Assistant Director
Division of Remediation Support

cc. Monahan Debra, 1210 Chambers Ave, Cherry Hill, NJ 08002
Case Manager: Kakas, Donald



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

Lehigh Gas Corp
3773 Corporate Pkwy - Ste 100
Center Valley, PA 18034

January 29, 2007

Exxon Mobil Refining & Supply Co
1001 Billingsport Rd - Room 127
Paulsboro, NJ 08066

Re: Site Remediation & Waste Management (SRWM) Information:
007826 - 1898 RT 70 E CHERRY HILL LLC, 1898 RT 70 E & SPRINGDALE, Cherry Hill Twp, Camden
Childcare Center Information:
300811 - Kindercare Learning Center #1161, 1815 Springdale Rd, Cherry Hill Twp, Camden County
5803037 - KinderCare Learning Center #1161-Cherry Hill

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 1815 Springdale Rd in Cherry Hill Twp, Camden County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Kindercare Learning Center #1161 childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Kindercare Learning Centers Inc, 1815 Springdale Rd, Cherry Hill, NJ 08003
CaseManager: Goodwin, Martha



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

Lehigh Gas Corp
3773 Corporate Pkwy - Ste 100
Center Valley, PA 18034

January 29, 2007

Exxon Mobil Refining & Supply Co
1001 Billingsport Rd - Room 127
Paulsboro, NJ 08066

Re: Site Remediation & Waste Management (SRWM) Information:
007359 - 581 WILLIAMSTOWN RD SICKLERVILLE LLC, 581 WILLIAMSTOWN RD, Winslow Twp, Camden
Childcare Center Information:
332734 - Martin Luther King Jr Child Development Cen, 510 Williamstwon Rd - Store A, Winslow Twp, Camden CO
5809100 - Martin Luther King Jr., Child Development Center

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 510 Williamstwon Rd - Store A in Winslow Twp, Camden County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Martin Luther King Jr Child Development Cen childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcory, Assistant Director
Division of Remediation Support

cc. Jones Deirdre, 678 Florence St, Camden City, NJ 08104
CaseManager: Souders, Mark



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

JON S. CORZINE
Governor

January 29, 2007

Exxon Mobil Corp
12596 W Bayaud Ave - Ste 100
Lakewood, CO 80228

Exxon Mobil & Refining Supply Co
73 Old Dublin Pk - Ste 10 459
Doylestown, PA 18901

Re: Site Remediation & Waste Management (SRWM) Information:
008980 - EXXON R/S 36936, 649 SOUTH ORANGE AVE, Livingston Twp, Essex
Childcare Center Information:
300872 - Tutor Time Child Care Learning Center, 650 S Orange Ave, Livingston Twp, Essex County
5804672 - Tutor Time Child Care Learning Center

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 650 S Orange Ave in Livingston Twp, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Tutor Time Child Care Learning Center childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Gargiulo Stephanie & Robert, 650 S Orange Ave, Livingston, NJ 07039
CaseManager: Souders, Mark



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

January 29, 2007

Hess Corp
1 Hess Plaza
Woodbridge, NJ 07095

Kimber Petroleum Corp
Po Box 860 - 545 Martinsville Rd
Liberty Corner, NJ 07938

Re: Site Remediation & Waste Management (SRWM) Information:
008790 - EXXON STATION, 226 S ORANGE AVE, Newark City, Essex
Childcare Center Information:
330429 - Babyland Family Services Incorporated 3, 200 S Orange Ave, Newark City, Essex County
5807537 - BABYLAND FAMILY SERVICES INC. #3

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 200 S Orange Ave in Newark City, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Babyland Family Services Incorporated 3 childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Tracia James, 755 S Orange Ave, Newark City, NJ 07106
CaseManager: Souders, Mark



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

Exxon Mobil Corp
12596 W Bayaud Ave - Ste 100
Lakewood, CO 80228

January 29, 2007

Exxon Mobil & Refining Supply Co
73 Old Dublin Pk - Ste 10 459
Doylestown, PA 18901

Re: Site Remediation & Waste Management (SRWM) Information:
008605 - EXXON R/S 32585, 387 TO 397 SPRINGFIELD AVE, Newark City, Essex
Childcare Center Information:
330357 - Cleveland Street School, 368 Bergen St, Newark City, Essex County
5807532 - CLEVELAND STREET SCHOOL

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 368 Bergen St in Newark City, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Cleveland Street School childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcory, Assistant Director
Division of Remediation Support

cc. Bernstein Diane, 10 Park Pl - 4th Flr, Newark City, NJ 07102



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

Exxon Service Station Former #30619
12268 W Bayaud Ave - Ste 300
Lakewood, CO 80228

January 29, 2007

Exxon Mobil & Refining Supply Co
73 Old Dublin Pk - Ste 10 459
Doylestown, PA 18901

Re: Site Remediation & Waste Management (SRWM) Information:
008142 - FORMER EXXON, 456 IRVINGTON AVE, South Orange Village Twp, Essex
Childcare Center Information:
300655 - Jajo Center For Child Development, 410 Irvington Ave, South Orange Village Twp, Essex County
5803056 - JaJo Center for Child Development

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 410 Irvington Ave in South Orange Village Twp, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Jajo Center For Child Development childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Bohman Michael & Hepsie, 410 Irvington Ave, South Orange, NJ 07079
CaseManager: Goodwin, Martha



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element

401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

February 15, 2007

Exxon Mobil & Refining Supply Co
73 Old Dublin PK - STE 10 459
Doylestown, PA 18901

Re: Site Remediation & Waste Management (SRWM) Information:
011535 - Exxon Service Station #3-0227, 2 N Oraton Pkwy, East Orange City, Essex County
Childcare Center Information:
330619 - PEP Center Afterschool Program, 10 S Oraton Pkwy, East Orange City, Essex County
5843025 - PEP Center Afterschool Program

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 10 S Oraton Pkwy in East Orange City, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the PEP Center Afterschool Program childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Director, PEP Center Afterschool Program, 10 S Oraton Pkwy, East Orange, NJ 07018
Case Manager: Souders, Mark



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support

Oversight Resources Allocation Element

401 East State Street

Post Office Box 028, 5th Floor West

Trenton NJ 08625-0028

Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

February 15, 2007

Exxonmobil & Refining Supply Co
73 Old Dublin PK - STE 10 459
Doylestown, PA 18901

Re: Site Remediation & Waste Management (SRWM) Information:
011535 - ORATON PKWY EXXON 0227, 2 N ORATON PWY, East Orange City, Essex County
Childcare Center Information:
330617 - New Jersey Childcare Academy Of The Arts, 10 S Oraton Pkwy , East Orange City, Essex County
5841833 - New Jersey Child Care Academy of the Arts

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 10 S Oraton Pkwy in East Orange City, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the New Jersey Childcare Academy Of The Arts childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. McCoy Leonard, 50 Hillcrest Ter , East Orange, NJ 07018
CaseManager: Souders, Mark



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element

401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

February 15, 2007

Exxonmobil & Refining Supply Co
73 Old Dublin PK - STE 10 459
Doylstown, PA 18901

Re: Site Remediation & Waste Management (SRWM) Information:
011535 - ORATON PKWY EXXON 0227, 2 N ORATON PWY, East Orange City, Essex County
Childcare Center Information:
330614 - First Day Care Academy Inc, 10 S Oraton Pkwy, East Orange City, Essex County
5843019 - First Day Care Academy, Inc.

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 10 S Oraton Pkwy in East Orange City, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the First Day Care Academy Inc childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Director, First Day Care Academy Inc, 10 S Oraton Pkwy, East Orange, NJ 07018
Case Manager: Souders, Mark



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support

Oversight Resources Allocation Element

401 East State Street

Post Office Box 028, 5th Floor West

Trenton NJ 08625-0028

Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

February 14, 2007

Exxon Mobil & Refining Supply Co
73 Old Dublin Pk - STE 10 459
Doylestown, PA 18901

Re: Site Remediation & Waste Management (SRWM) Information:
007498 - EXXON STORE 3-0065, 693 LYONS AVE, Irvington Twp, Essex County
Childcare Center Information:
300819 - Little Finger Day Care Center, 143 Ball St, Irvington Twp, Essex County
5797834 - Little Fingers Day Care Center

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 143 Ball St in Irvington Twp, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Little Finger Day Care Center childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Edris Lyttle, 143 Ball St, Irvington, NJ 07111
Case Manager: Goodwin, Martha



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

January 29, 2007

Cumberland Farms Inc
777 Dedham St
Canton, MA 02021

Re: Site Remediation & Waste Management (SRWM) Information:
006358 - CARNEVALE'S SERVICE CTR 121376, 710 BLOOMFIELD AVE, Verona Twp, Essex
Childcare Center Information:
329888 - Verona Week Day Nursery School, 10 Fairview Ave, Verona Twp, Essex County
5800090 - Verona Presbyterian Week Day Nursery Sch

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 10 Fairview Ave in Verona Twp, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Verona Week Day Nursery School childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcory, Assistant Director
Division of Remediation Support

cc. Stryker Cynthia, 10 Fairview Ave, Verona, NJ 07009

CaseManager: Goodwin, Martha



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support

Oversight Resources Allocation Element

401 East State Street

Post Office Box 028, 5th Floor West

Trenton NJ 08625-0028

Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

Motiva Enterprises LLC
13258 Fm 1960 W
Houston, TX 77065

February 14, 2007

Shell Oil Products US
PO Box 152
Nazareth, PA 18064

Re: Site Remediation & Waste Management (SRWM) Information:
004735 - SHELL SERVICE STATION 138382, 681 LYONS AVE & AUGUSTA ST, Irvington Twp, Essex County
Childcare Center Information:
300819 - Little Finger Day Care Center, 143 Ball St, Irvington Twp, Essex County
5797834 - Little Fingers Day Care Center

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 143 Ball St in Irvington Twp, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Little Finger Day Care Center childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Edris Lyttle, 143 Ball St, Irvington, NJ 07111
Case Manager: Hahn, Gerald



State of New Jersey
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

JON S. CORZINE
Governor

January 29, 2007

Getty Petroleum Marketing Inc
1500 Hempstead Tpke
East Meadow, NY 11554

Exxon Mobil Corp
73 Old Dublin Pk - Ste 10459
Doylestown, PA 18901


Mobil Service Station
73 Old Dublin Pk - Room 459
Doylestown, PA 18901

Re: Site Remediation & Waste Management (SRWM) Information:
025646 - MOBIL 57728, 1414 BROAD ST, Bloomfield Twp, Essex
Childcare Center Information:
300825 - Looking Glass Childrens Center, 16 Bellevue Ave, Bloomfield Twp, Essex County
5803666 - Looking Glass Children's Center

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 16 Bellevue Ave in Bloomfield Twp, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Looking Glass Childrens Center childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

A handwritten signature in cursive script, appearing to read "Ronald T. Corcoran".

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Ong Maria Cecilia , 16 Bellevue Ave , Bloomfield, NJ 07003
CaseManager: Wahab, Atiya



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

January 29, 2007

Nj Institute Of Technology
University Heights
Newark, NJ 07102

Re: Site Remediation & Waste Management (SRWM) Information:
020218 - NJ INSTITUTE OF TECH, 181 TO 183 CENTRAL AVE, Newark City, Essex
Childcare Center Information:
300922 - Newark Preschool Council Inc, 177 Central Ave, Newark City, Essex County
5805354 - Newark Pre-School Council, Inc.

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 177 Central Ave in Newark City, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Newark Preschool Council Inc childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Newark Preschool Council Inc , 10 Park Pl - 4th Flr , Newark, NJ 07102
CaseManager: Wahab, Atiya



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

January 29, 2007

Shell Oil Products Us
Po Box 152
Nazareth, PA 18064

Re: Site Remediation & Waste Management (SRWM) Information:
003477 - SHELL SERVICE STATION 138418, 490 VALLEY ST & PARKER AVE, Maplewood Twp, Essex
Childcare Center Information:
300706 - South Mountain Ymca Child Care Center, 10 Parker Ave W, Maplewood Twp, Essex County
5797808 - South Mountain YMCA Child Care Center

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 10 Parker Ave W in Maplewood Twp, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the South Mountain Ymca Child Care Center childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Metropolitan Ymca Of The Oranges ,139 E McClellan Ave ,Livingston, NJ 07039

CaseManager: Bauer, Paul



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

January 29, 2007

Shell Oil Products Us
Po Box 152
Nazareth, PA 18064

Re: Site Remediation & Waste Management (SRWM) Information:
003477 - SHELL SERVICE STATION 138418, 490 VALLEY ST & PARKER AVE, Maplewood Twp, Essex
Childcare Center Information:
300644 - Kellys Kids Day Care Enter Inc Ii, 495 Valley St, Maplewood Twp, Essex County
5797806 - Kelly's Kids Day Care Center Inc. II

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 495 Valley St in Maplewood Twp, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Kellys Kids Day Care Enter Inc Ii childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcory, Assistant Director
Division of Remediation Support

cc. Harris Loretta B ,495 Valley St ,Maplewood, NJ 07040

CaseManager: Bauer, Paul



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support

Oversight Resources Allocation Element

401 East State Street

Post Office Box 028, 5th Floor West

Trenton NJ 08625-0028

Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

Getty Properties Corp
125 Jericho Tpke
Jericho, NY 11753

February 22, 2007

Getty Petroleum Marketing Inc
86 Doremus Ave
Newark, NJ 07105

Re: Site Remediation & Waste Management (SRWM) Information:
001720 - GETTY S/S 00664 FORMER, 953 18TH AVE, Newark City, Essex County
Childcare Center Information:
332443 - Dove Community Child Care Academy Inc II, 980 18th Ave, Newark City, Essex County
5841862 - Dove Community Child Care Academy, Inc. II

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 980 18th Ave in Newark City, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Dove Community Child Care Academy Inc II childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Dove Community Child Care Academy Inc II, 980 18th Ave, Newark, NJ 07106
Case Manager: Nickerson, David



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

JON S. CORZINE
Governor

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

LISA P. JACKSON
Commissioner

January 29, 2007

Getty Petroleum Corp
125 Jericho Tpke
Jericho, NY 11757

Re: Site Remediation & Waste Management (SRWM) Information:
001490 - GETTY 56821, 252 IRVINGTON, South Orange Village Twp, Essex
Childcare Center Information:
329872 - Beth El Nursery School, 222 Irvington Ave, South Orange Village Twp, Essex County
5797613 - Beth El Nursery School

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 222 Irvington Ave in South Orange Village Twp, Essex County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Beth El Nursery School childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Sachs Sandra, 222 Irvington Ave, South Orange, NJ 07079

CaseManager: Bauer, Paul



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element
401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

January 29, 2007

Sunoco Inc
100 Green St - Auto Lab Bldg
Marcus Hook, PA 19061

Re: Site Remediation & Waste Management (SRWM) Information:
016411 - QUENZELS SUNOCO #0004-6730, 1106 MANTUA PK, Deptford Twp, Gloucester
Childcare Center Information:
330606 - Under The Sun Learning Center Of W Deptford, 1107 Mantua Pk - Suites 706 & 708 & , West Deptford
Twp, Gloucester County
5807554 - UNDER THE SUN LEARNING CENTER OF W DEPTFORD

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 1107 Mantua Pk - Suites 706 & 708 & in West Deptford Twp, Gloucester County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Under The Sun Learning Center Of W Deptford childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Hulmes Sharon, 1111 Mantua Pk Aka Rt 45, Mantua, NJ 08051
CaseManager: Kakas, Donald



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support

Oversight Resources Allocation Element

401 East State Street

Post Office Box 028, 5th Floor West

Trenton NJ 08625-0028

Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

Ferguson Propeller Inc
1132 Clinton St
Hoboken, NJ 07030

February 14, 2007

Vectre Corp
PO Box 930 - 15 RT 15 S
Lafayette Twp, NJ 07848

Re: Site Remediation & Waste Management (SRWM) Information:
000318 - FERGUSON PROPELLER INC, 1132 CLINTON ST, Hoboken City, Hudson County
Childcare Center Information:
300745 - All Saints Episcopal Day School, 1100 Willow Ave, Hoboken City, Hudson County
5795943 - All Saints Episcopal Day School(Wallace School)

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 1100 Willow Ave in Hoboken City, Hudson County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the All Saints Episcopal Day School childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1480.

Ronald T Corcory, Assistant Director
Division of Remediation Support

cc. All Saints Day School, 1100 Willow Ave, Wallace School, Hoboken, NJ 07030
Case Manager: Kakas, Donald



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Division of Remediation Support
Oversight Resources Allocation Element

401 East State Street
Post Office Box 028, 5th Floor West
Trenton NJ 08625-0028
Fax: (609) 633-1439

JON S. CORZINE
Governor

LISA P. JACKSON
Commissioner

January 29, 2007

Nj Transit Auth Environmental Services Unit
1 Penn Plaza E - 8th Flr
Newark, NJ 07105

Re: Site Remediation & Waste Management (SRWM) Information:
011760 - UNION CITY GARAGE, 2700 TO 2800 BERGENLINE AVE, Union City, Hudson
Childcare Center Information:
330359 - Academia Learning & Day Care Center, 2900 Bergenline Ave Rear Of, Union City, Hudson County
5807519 - ACADEMIA LEARNING & DAY CARE CENTER

On October 17, 2006, Governor Corzine signed an emergency rule which, among other things, requires the evaluation of childcare facilities to ensure a safe and healthy environment. As part of that effort the Department of Environmental Protection's (DEP) Site Remediation & Waste Management (SRWM) Program is in the process of reviewing its database to determine if any regulated entity is within 400' and may have the potential to impact a childcare facility.

A review of DEP files indicates that your facility has established a classification exception area (CEA) for the ground water contaminated with volatile organics. Since ground water may, in fact, have the potential to impact the childcare facility, as a precaution we are asking that you initiate steps to verify there is no impact to the childcare facility located within that 400' radius at 2900 Bergenline Ave Rear Of in Union City, Hudson County. At the time the CEA was established, impacts to this receptor were not fully evaluated. Specifically, we are asking that you immediately verify that indoor air (See <http://www.nj.gov/dep/srp/guidance/vaporintrusion/vig.htm>) and drinking water (See <http://www.nj.gov/dep/dccrequest/safedrnk.htm>) at the Academia Learning & Day Care Center childcare facility are within acceptable limits. If you can submit information that verifies there is no exposure potential to the childcare facility from your site, you must do so immediately. This request is being made as a precaution due to the proximity of your site to the childcare center and not due to any known contamination in the childcare facility. You should be aware that in the event you choose not to comply with this request, the DEP will perform the necessary sampling and issue a Directive against you seeking treble damages for any monies expended. If contamination is found and can be attributed to your site, the DEP will require remediation and initiate enforcement action.

We strongly encourage you to voluntarily participate in the protection of our children. A response is needed within seven days of receipt. All information necessary to comply with this request can be obtained by contacting the writer by telephone at (609) 633-1275.

Ronald T Corcoran, Assistant Director
Division of Remediation Support

cc. Alfonso Noelle, 2900 Bergenline Ave - Rear, Union City, NJ 07087
CaseManager: Wright, Renee